

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	102	("4784060" "4329029" "5751922" "4163282" "4180738" "4274145" "4283975" "4323971" "4401087" "4432331" "4807170" "4907212" "4912624" "4984736" "5191533" "5248150" "5263148" "5282063" "5369471" "5617217" "5715309" "5808748" "5812835" "5818732" "5872722" "5959610" "6000362" "6026334" "6040921" "6049340" "6057829" "6065067" "6137734" "6193470" "6272672" "6278462" "6408326" "6429879" "6443098" "6449573" "6734871" "5961611" "4409468" "4431134" "4509127" "4803331" "4807517" "4868755" "4887216" "4920594").pn. OR ("5027278" "5249364" "5301399" "5454452" "5526333" "5580470" "5682488" "5784051" "5815071" "5841379" "5841287" "5886640" "5894232" "5913068" "5939874" "5956220" "6005757" "6072836" "6177958" "6351843" "6408008" "6452688" "6707461" "6795688" "5721623" "5913218" "6061693" "6061693" "5463556" "6128542" "6233527" "3823470" "4254412" "4297730" "4405953" "4478129" "4493303" "4803761" "4989450" "5191640" "5233175" "5288441" "5457284" "5486995" "5504521" "5519793" "5546527" "5566309" "5598466" "5717838").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 07:20
S2	1	"20030088770".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 08:44
S3	12	(negotiat\$4 NEAR2 (setting OR option OR parameter OR attribute OR preference)) AND (window NEAR2 scal\$4) AND (scal\$4 NEAR2 (factor OR multipl\$4 OR adjust\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 13:36
S4	107	(negotiat\$4 NEAR2 (setting OR option OR parameter OR attribute OR preference)) AND (transmission NEAR1 unit)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 10:16

EAST Search History

S5	2425	((negotiat\$4 OR arrang\$4 OR agree\$4 OR settle\$4) NEAR2 (setting OR option OR parameter OR attribute OR preference)) AND (((transmission NEAR1 unit) OR packet OR cell OR frame) WITH (size OR length OR value))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 11:10
S6	1469	((negotiat\$4 OR agree\$4 OR settle\$4) NEAR2 (setting OR option OR parameter OR attribute OR preference)) AND ("transmission unit" OR packet OR cell OR frame) WITH (size OR length OR value))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 13:39
S7	232	((negotiat\$4 OR agree\$4 OR settle\$4) NEAR2 (setting OR option OR parameter OR attribute OR preference)) AND ("transmission unit" OR packet OR cell OR frame) WITH (size OR length OR value) WITH (negotiat\$4 OR agree\$4 OR settle\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 10:21
S8	17	((negotiat\$4 OR agree\$4 OR settle\$4) NEAR2 (setting OR option OR parameter OR attribute OR preference)) AND ("transmission unit" OR packet OR cell OR frame) WITH (size OR length OR value) WITH (negotiat\$4 OR agree\$4 OR settle\$4)) AND (encrypt\$4 NEAR2 key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 10:21
S9	1377	((negotiat\$4 OR arrang\$4 OR agree\$4 OR settle\$4) NEAR2 (setting OR option OR parameter OR attribute OR preference)) AND ((maximum OR highest OR largest) NEAR2 (value OR size OR length)) AND ((range OR set OR superset) NEAR2 (value OR size OR length))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 10:51
S10	606	((negotiat\$4 OR arrang\$4 OR agree\$4 OR settle\$4) NEAR2 (setting OR option OR parameter OR attribute OR preference)) AND ((maximum OR highest OR largest) NEAR2 (value OR size OR length)) AND ((range OR set OR superset) NEAR2 (value OR size OR length)) AND ("transmission unit" OR packet OR cell OR frame) WITH (size OR length OR value))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 10:52

EAST Search History

S11	73	((negotiat\$4 OR arrang\$4 OR agree\$4 OR settle\$4) NEAR2 (setting OR option OR parameter OR attribute OR preference)) AND ((maximum OR highest OR largest) NEAR2 (value OR size OR length)) AND ((range OR set OR superset) NEAR2 (value OR size OR length)) AND (("transmission unit" OR packet OR cell OR frame) WITH (size OR length OR value) WITH (negotiat\$4 OR agree\$4 OR settle\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 10:52
S12	14	((negotiat\$4 OR arrang\$4 OR agree\$4 OR settle\$4) NEAR2 (setting OR option OR parameter OR attribute OR preference)) AND ((maximum OR highest OR largest) NEAR2 (value OR size OR length)) AND ((range OR set OR superset) NEAR2 (value OR size OR length)) AND (("transmission unit" OR packet OR cell OR frame) WITH (size OR length OR value) WITH (negotiat\$4 OR agree\$4 OR settle\$4)) AND encrypt\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 12:55
S13	88	((negotiat\$4 OR arrang\$4 OR agree\$4 OR settle\$4) NEAR2 (setting OR option OR parameter OR attribute OR preference)) AND ((maximum OR highest OR largest) NEAR2 (value OR size OR length)) AND ((range OR set OR superset) NEAR2 (value OR size OR length)) AND (("transmission unit" OR packet OR cell OR frame) WITH (size OR length OR value)) AND encrypt\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 11:04
S14	84	((negotiat\$4 OR agree\$4 OR settle\$4) NEAR2 (setting OR option OR parameter OR attribute OR preference)) AND ((maximum OR highest OR largest) NEAR2 (value OR size OR length)) AND ((range OR set OR superset) NEAR2 (value OR size OR length)) AND (("transmission unit" OR packet OR cell OR frame) WITH (size OR length OR value)) AND encrypt\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 12:18

EAST Search History

S15	29	((negotiat\$4 OR arrang\$4 OR agree\$4 OR settle\$4) NEAR2 (setting OR option OR parameter OR attribute OR preference)) AND (((transmission NEAR1 unit) OR packet OR cell OR frame) WITH (size OR length OR value)) AND ((increment OR step) NEAR2 "256")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 11:27
S16	4	("5825890" "6314468" "6505253" "6519636").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 12:15
S17	0	(qos OR "quality of service") AND ("256" NEAR2 byte NEAR2 (step OR increment OR scal\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 12:16
S18	0	(qos OR "quality of service") AND ("256" NEAR2 byte NEAR2 (step OR increment OR scal\$4 OR factor))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 12:16
S19	90	("256" NEAR2 byte NEAR2 (step OR increment OR scal\$4 OR factor))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 12:16
S20	0	((negotiat\$4 OR agree\$4 OR settle\$4) NEAR2 (setting OR option OR parameter OR attribute OR preference)) AND ("256" NEAR2 byte NEAR2 (step OR increment OR scal\$4 OR factor))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 12:18
S21	74	(setting OR option OR parameter OR attribute OR preference) AND ("256" NEAR2 byte NEAR2 (step OR increment OR scal\$4 OR factor))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 12:18
S22	34	((negotiat\$4 OR agree\$4 OR settle\$4) WITH (setting OR option OR parameter OR attribute OR preference)) AND ((maximum OR highest OR largest) NEAR2 (value OR size OR length)) AND ((range OR set OR superset) NEAR2 (value OR size OR length)) AND (("transmission unit" OR packet OR cell OR frame) WITH (size OR length OR value) WITH (negotiat\$4 OR agree\$4 OR settle\$4)) AND encrypt\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 12:55
S23	11	("5130986" "5222061" "5487068" "5555266").PN. OR ("6301249").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/08 13:04

EAST Search History

S24	133	(negotiat\$4 NEAR2 (setting OR option OR parameter OR attribute OR preference)) AND (window NEAR2 size)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 13:36
S25	12	(negotiat\$4 NEAR2 (setting OR option OR parameter OR attribute OR preference)) AND (negotiat\$4 NEAR2 (window NEAR2 size))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 13:39
S26	206	((negotiat\$4 OR agree\$4 OR settle\$4) NEAR4 (setting OR option OR parameter OR attribute OR preference)) AND (predict\$3 WITH (setting OR option OR parameter OR attribute OR preference)) AND ((setting OR option OR parameter OR attribute OR preference) WITH (outside OR greater OR above OR larger OR bigger OR higher))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 13:56
S27	49	((negotiat\$4 OR agree\$4 OR settle\$4) NEAR2 (setting OR option OR parameter OR attribute OR preference)) AND (predict\$3 WITH (setting OR option OR parameter OR attribute OR preference)) AND ((setting OR option OR parameter OR attribute OR preference) WITH (outside OR greater OR above OR larger OR bigger OR higher)) AND ((negotiat\$4 OR agree\$4 OR settle\$4) WITH (window OR "transmission unit" OR packet OR cell OR frame OR length OR size OR "quality of service" OR qos OR "service level agreement" OR sla))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 13:43
S28	6	((negotiat\$4 OR agree\$4 OR settle\$4) NEAR4 (setting OR option OR parameter OR attribute OR preference)) AND (predict\$3 WITH (setting OR option OR parameter OR attribute OR preference)) AND ((setting OR option OR parameter OR attribute OR preference) WITH (outside OR greater OR above OR larger OR bigger OR higher)) AND ipsec	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 13:54

EAST Search History

S29	37	((negotiat\$4 OR agree\$4 OR settle\$4) NEAR4 (setting OR option OR parameter OR attribute OR preference)) AND (predict\$3 WITH (setting OR option OR parameter OR attribute OR preference)) AND ((setting OR option OR parameter OR attribute OR preference) WITH (outside OR greater OR above OR larger OR bigger OR higher)) AND encrypt\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 14:02
S30	81	((negotiat\$4 OR agree\$4 OR settle\$4) NEAR4 (setting OR option OR parameter OR attribute OR preference)) AND ((predict\$3 OR guess\$3 OR assum\$3 OR presum\$3 OR approxim\$3) NEAR4 (setting OR option OR parameter OR attribute OR preference)) AND ((setting OR option OR parameter OR attribute OR preference) WITH (outside OR greater OR above OR larger OR bigger OR higher)) AND encrypt\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 14:05
S31	54	((negotiat\$4 OR agree\$4 OR settle\$4) NEAR4 (setting OR option OR parameter OR attribute OR preference)) AND ((predict\$3 OR guess\$3 OR assum\$3 OR presum\$3 OR approxim\$3) NEAR4 (setting OR option OR parameter OR attribute OR preference)) AND ((setting OR option OR parameter OR attribute OR preference) WITH (outside OR greater OR larger OR bigger OR higher)) AND encrypt\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 14:18
S32	3	((negotiat\$4 OR agree\$4 OR settle\$4) NEAR4 (setting OR option OR parameter OR attribute OR preference)) AND ((predict\$3 OR guess\$3 OR assum\$3 OR presum\$3 OR approxim\$3) WITH (need OR necess\$4) WITH (setting OR option OR parameter OR attribute OR preference)) AND ((setting OR option OR parameter OR attribute OR preference) WITH (outside OR greater OR larger OR bigger OR higher)) AND encrypt\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 14:20

EAST Search History

S33	18	((negotiat\$4 OR agree\$4 OR settle\$4) NEAR4 (setting OR option OR parameter OR attribute OR preference)) AND ((predict\$3 OR guess\$3 OR assum\$3 OR presum\$3 OR approximat\$3) WITH (need OR necess\$4) WITH (setting OR option OR parameter OR attribute OR preference)) AND ((setting OR option OR parameter OR attribute OR preference) WITH (outside OR greater OR larger OR bigger OR higher))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 14:29
S34	11	((negotiat\$4 OR agree\$4 OR settle\$4) NEAR4 (setting OR option OR parameter OR attribute OR preference)) AND ((predict\$3 OR guess\$3 OR presum\$3 OR approximat\$3) WITH (need OR necess\$4) WITH (setting OR option OR parameter OR attribute OR preference)) AND ((setting OR option OR parameter OR attribute OR preference) WITH (outside OR greater OR larger OR bigger OR higher))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 14:32
S35	10	((negotiat\$4 OR agree\$4 OR settl\$4) NEAR4 (setting OR option OR parameter OR attribute OR preference)) AND ((predict\$3 OR guess\$3 OR presum\$3 OR approximat\$3) WITH (need OR necess\$4) WITH (setting OR option OR parameter OR attribute OR preference)) AND ((setting OR option OR parameter OR attribute OR preference) WITH (outside OR greater OR larger OR bigger OR higher))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 14:32
S36	11	((negotiat\$4 OR agree\$4 OR settl\$5) NEAR4 (setting OR option OR parameter OR attribute OR preference)) AND ((predict\$3 OR guess\$3 OR presum\$3 OR approximat\$3) WITH (need OR necess\$4) WITH (setting OR option OR parameter OR attribute OR preference)) AND ((setting OR option OR parameter OR attribute OR preference) WITH (outside OR greater OR larger OR bigger OR higher))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 14:33

EAST Search History

S37	1	((negotiat\$4 OR agree\$4 OR settl\$5) NEAR4 (setting OR option OR parameter OR attribute OR preference)) AND ((predict\$3 OR guess\$3 OR presum\$3 OR approximat\$3) WITH (need OR necess\$4) WITH (setting OR option OR parameter OR attribute OR preference)) AND (normal WITH value WITH (outside OR greater OR larger OR bigger OR higher))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 14:34
S38	4	((negotiat\$4 OR agree\$4 OR settl\$5) NEAR4 (setting OR option OR parameter OR attribute OR preference)) AND ((predict\$3 OR guess\$3 OR presum\$3 OR approximat\$3) WITH (need OR necess\$4)) AND (normal WITH value WITH (outside OR greater OR larger OR bigger OR higher))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 14:50
S39	9	((negotiat\$4 OR agree\$4 OR settl\$5) WITH (setting OR option OR parameter OR attribute OR preference)) AND ((predict\$3 OR guess\$3 OR presum\$3 OR approximat\$3) WITH (need\$3 OR necess\$4)) AND (normal WITH value WITH (outside OR greater OR larger OR bigger OR higher))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/14 16:19
S40	29	(predict NEAR2 (need\$3 OR necess\$4) NEAR2 (setting OR preference OR parameter OR attribute))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 15:01
S41	143	(predict\$3 NEAR2 (need\$3 OR necess\$4) NEAR2 (setting OR preference OR parameter OR attribute))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 15:02
S42	150	(predict\$3 NEAR2 (need\$3 OR necess\$4) NEAR2 (setting OR preference OR parameter OR attribute OR option))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 15:02
S43	7	(predict\$3 NEAR2 (need\$3 OR necess\$4) NEAR2 (setting OR preference OR parameter OR attribute OR option)) AND negotiat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/08 15:02

EAST Search History

S44	9	((negotiat\$4 OR agree\$4 OR settl\$5) WITH (setting OR option OR parameter OR attribute OR preference)) AND ((predict\$3 OR guess\$3 OR presum\$3 OR approximat\$3) WITH (need\$3 OR necess\$4)) AND (normal WITH value WITH (outside OR greater OR larger OR bigger OR higher))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 07:47
S45	11385	((window OR packet OR frame OR cell OR "transmission unit") WITH (siz\$3 OR scal\$3 OR length)) AND (setting OR option OR parameter OR attribute OR preference) AND ((predict\$3 OR guess\$3 OR presum\$3 OR approximat\$3) WITH (need\$3 OR necess\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 10:17
S46	54	((window OR packet OR frame OR cell OR "transmission unit") WITH (siz\$3 OR scal\$3 OR length)) AND (setting OR option OR parameter OR attribute OR preference) AND ((predict\$3 OR guess\$3 OR presum\$3 OR approximat\$3) WITH (need\$3 OR necess\$4)) AND (709/227-229.ccls. OR 370/252.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 10:04
S47	16	("20020080721" "20030185236" "20040133692" "20040162909" "20040165602" "20040190549" "20050002417" "20050025157" "20050078704" "5815516" "5937169" "6038216" "6049833" "6076113" "6618393" "6690669").PN. OR ("7006526").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/15 08:55
S48	78	((window OR packet OR frame OR cell OR "transmission unit" OR segment) WITH (siz\$3 OR scal\$3 OR length)) AND (setting OR option OR parameter OR attribute OR preference) AND ((predict\$3 OR guess\$3 OR presum\$3 OR approximat\$3) WITH (setting OR option OR parameter OR attribute OR preference)) AND (709/227-229.ccls. OR 370/252.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 10:05

EAST Search History

S49	64	((window OR packet OR frame OR cell OR "transmission unit" OR segment) WITH (siz\$3 OR scal\$3 OR length)) AND (setting OR option OR parameter OR attribute OR preference) AND ((predict\$3 OR guess\$3 OR presum\$3 OR approximat\$3) WITH (setting OR option OR parameter OR attribute OR preference)) AND (709/227-229.ccls. OR 370/252.ccls.) NOT S46	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 10:05
S50	4277	((window OR packet OR frame OR cell OR "transmission unit") WITH (siz\$3 OR scal\$3 OR length)) AND (setting OR option OR parameter OR attribute OR preference) AND (predict\$3 WITH (need\$3 OR necess\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 10:19
S51	5972	((window OR packet OR frame OR cell OR "transmission unit" OR segment) WITH (siz\$3 OR scal\$3 OR length)) AND (setting OR option OR parameter OR attribute OR preference) AND (predict\$3 WITH (setting OR option OR parameter OR attribute OR preference))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 10:24
S52	431	((window OR packet OR frame OR cell OR "transmission unit" OR segment) WITH (siz\$3 OR scal\$3 OR length)) AND (setting OR option OR parameter OR attribute OR preference) AND (predict\$3 WITH (setting OR option OR parameter OR attribute OR preference)) AND ("709"/\$.ccls. OR "370"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 10:26
S53	29	((window OR packet OR frame OR cell OR "transmission unit" OR segment) WITH (siz\$3 OR scal\$3 OR length)) AND (setting OR option OR parameter OR attribute OR preference) AND (predict\$3 WITH (setting OR option OR parameter OR attribute OR preference)) AND (709/227-229.ccls. OR 370/252.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 14:45

EAST Search History

S54	20	((window OR packet OR frame OR cell OR "transmission unit" OR segment) WITH (siz\$3 OR scal\$3 OR length)) AND (setting OR option OR parameter OR attribute OR preference) AND (predict\$3 WITH (setting OR option OR parameter OR attribute OR preference)) AND (709/227-229.ccls. OR 370/252.ccls.) NOT S46	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 10:26
S55	1	((window OR packet OR frame OR cell OR "transmission unit" OR segment) WITH (siz\$3 OR scal\$3 OR length)) AND (setting OR option OR parameter OR attribute OR preference) AND (predict\$3 WITH (setting OR option OR parameter OR attribute OR preference)) AND (709/227-229.ccls. OR 370/252.ccls.) AND ipsec AND (encrypt\$4 NEAR2 key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 14:47
S56	40	((window OR packet OR frame OR cell OR "transmission unit" OR segment) WITH (siz\$3 OR scal\$3 OR length)) AND (setting OR option OR parameter OR attribute OR preference) AND (709/227-229.ccls. OR 370/252.ccls.) AND ipsec AND (encrypt\$4 NEAR2 key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 14:47
S57	19	((window OR packet OR frame OR cell OR "transmission unit" OR segment) WITH (siz\$3 OR scal\$3 OR length)) AND (setting OR option OR parameter OR attribute OR preference) AND (709/227-229.ccls. OR 370/252.ccls.) AND ipsec AND (encrypt\$4 NEAR2 key) AND (("40" OR "128" OR "192" OR "256") NEAR1 bit)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 14:56
S58	29	(setting OR option OR parameter OR attribute OR preference) AND (709/227-229.ccls. OR 370/252.ccls.) AND ipsec AND (encrypt\$4 NEAR2 key) AND (("40" OR "128" OR "192" OR "256") NEAR1 bit)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 15:01
S59	30	(709/227-229.ccls. OR 370/252.ccls.) AND ipsec AND (encrypt\$4 NEAR2 key) AND (("40" OR "128" OR "192" OR "256") WITH bit)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 15:02

EAST Search History

S60	3	(709/227-229.ccls. OR 370/252.ccls.) AND ipsec AND (encrypt\$4 NEAR2 key) AND (("40" OR "128" OR "192" OR "256") WITH bit) AND ("aes" WITH encrypt\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 15:17
S61	85	ipsec AND (encrypt\$4 NEAR2 key) AND (("40" OR "128" OR "192" OR "256") WITH bit) AND ("aes" WITH encrypt\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 15:17